



## CERTIFICATE OF ANALYSIS

Work Order	: PR1932781	Issue Date	: 15-Apr-2019
Customer	: ALS DENMARK A/S	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Modtag	Contact	: Client Service
Address	: Bakkegardsvej 406 A 3050 Humlebaek Denmark	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: modtag@milana.dk	E-mail	: customer.support@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 228
Project	: (25.04.2019) 500259	Page	: 1 of 7
Order number	:	Date Samples	: 03-Apr-2019
		Received	
		Quote number	: PR2012ALSSC-DK0006 (CZ-250-11-0704)
Site	: ----	Date of test	: 04-Apr-2019 - 15-Apr-2019
Sampled by	: client	QC Level	: ALS CR Standard Quality Control Schedule

### General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory.  
The laboratory declares that the test results relate only to the listed samples.

### Responsible for accuracy

Testing Laboratory No. 1163  
Accredited by CAI according to  
CSN EN ISO/IEC 17025:2005

#### Signatories

Zdeněk Jiráček

#### Position

Environmental Business Unit  
Manager





## Analytical Results

Sub-Matrix: WATER

Client sample ID  
Laboratory sample ID  
Client sampling date / time

54041/19	----	----
PR1932781-001	----	----
[03-Apr-2019]	----	----

Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
<b>Organochlorine Pesticides</b>									
Hexachloroethane	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Hexachlorobutadiene	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
1.2.3.5- & 1.2.4.5-Tetrachlorobenzene	W-OCPECD01	0.020	µg/L	<0.020	---	----	----	----	----
1.2.3.4-Tetrachlorobenzene	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Pentachlorobenzene	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Trifluralin	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Hexachlorocyclohexane Alpha	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Hexachlorobenzene (HCB)	W-OCPECD01	0.0050	µg/L	<0.0050	---	----	----	----	----
Hexachlorocyclohexane Beta	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Hexachlorocyclohexane Gamma	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Hexachlorocyclohexane Delta	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Hexachlorocyclohexane Epsilon	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Alachlor	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Heptachlor	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Aldrin	W-OCPECD01	0.0050	µg/L	<0.0050	---	----	----	----	----
Telodrin	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Isodrin	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Heptachloroepoxide-cis	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Heptachloroepoxide-trans	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
2.4-DDE	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
alpha-Endosulfan	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
4.4'-DDE	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Dieldrin	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
2.4-DDD	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Endrin	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
beta-Endosulfan	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
4.4'-DDD	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
2.4-DDT	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
4.4'-DDT	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Methoxychlor	W-OCPECD01	0.010	µg/L	<0.010	---	----	----	----	----
Dichlobenil	W-OCPECD01	0.050	µg/L	<0.050	---	----	----	----	----
<b>Organophosphorus Pesticides</b>									
Carbophenothion	W-PESGMS01	0.050	µg/L	<0.050	---	----	----	----	----
Demeton-S-methyl	W-PESGMS01	0.10	µg/L	<0.10	---	----	----	----	----
Fenitrothion	W-PESGMS01	0.050	µg/L	<0.050	---	----	----	----	----
Fenthion	W-PESGMS01	0.050	µg/L	<0.050	---	----	----	----	----
Parathion-methyl	W-PESGMS01	0.050	µg/L	<0.050	---	----	----	----	----
Prothiophos	W-PESGMS01	0.050	µg/L	<0.050	---	----	----	----	----
<b>Pesticides</b>									
1-(3,4-Dichlorophenyl) urea (DCPU)	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
2.4.5-T	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
2.4.5-TP	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
2.4-D	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
2.4-DB	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
2.4-DP (isomers)	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
2-amino-N-(isopropyl)benzamide	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
2-Chloro-2.6-diethylacetanilide	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
4-CPP	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Acetamiprid	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Acetochlor	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Acibenzolar-S-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Acifluorfen	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Aclonifen	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Aldicarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----



Sub-Matrix: WATER				Client sample ID	54041/19	----	----		
				Laboratory sample ID	PR1932781-001	----	----		
				Client sampling date / time	[03-Apr-2019]	----	----		
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
<b>Pesticides - Continued</b>									
Aldicarb sulfone	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Ametryn	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Amidosulfuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Aminopyralide	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Atraton	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Atrazine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Atrazine-2-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Atrazine-desethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Atrazine-desisopropyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Azinphos-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Azinphos-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Azoxystrobin	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
BAM	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
BDMC	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Benalaxyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Bendiocarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Bentazone	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Bentazone methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Bifenox	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Bitertanol	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Boscalid	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Bromacil	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Bromophos-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Bromoxynil	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Cadusafos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Captan	W-PESGMS01	0.050	µg/L	<0.050	---	----	----	----	----
Carbaryl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Carbendazim	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Carbetamide	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Carbofuran	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Carbofuran-3-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Carboxin	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Carfentrazone-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chlorbromuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chlorfenvinphos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chloridazon	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chloridazon-desphenyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chlorotoluron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chlorotoluron-desmethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chloroxuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chlorpropham	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chlorpyrifos	W-PESLMS02	0.0500	µg/L	<0.0500	---	----	----	----	----
Chlorpyrifos-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Chlorsulfuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Clodinafop	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Clomazone	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Clomeprop	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Clopyralid	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Clothianidin	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Coumaphos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Crimidine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Cyanazine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Cybutryne (Irgarol)	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Cymoxanil	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Cyprazine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Cyproconazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Cyprodinil	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Cyromazine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----



Sub-Matrix: WATER				Client sample ID	54041/19	----	----		
				Laboratory sample ID	PR1932781-001	----	----		
				Client sampling date / time	[03-Apr-2019]	----	----		
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
<b>Pesticides - Continued</b>									
Desmetryn	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Diazinon	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Dicamba	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Dichlofenthion	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Dichlorimid	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Dichlorvos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Diclofop	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Dicropthos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Diethofencarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Difenacoum	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Difenoconazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Difenoxyuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Diflubenzuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Diflufenican	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Dimefuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Dimethachlor	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Dimethenamid	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Dimethoate	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Dimethomorph	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Dinoseb	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Dinoterb	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Diuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Diuron desmethyl (DCPMU)	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
DNOC	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Epoxiconazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
EPTC	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Ethiofencarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Ethion	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Ethofumesate	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Ethoprophos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fenamiphos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fenarimol	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fenhexamid	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fenoxaprop	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fenoxycarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fenpropidin	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fenpropimorph	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fensulfothion	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fenuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fipronil	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Florasulam	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fluazifop	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fluazifop-butyl (isomers)	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fluroxypyr	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Flusilazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Flutolanil	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Fonofos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Foramsulfuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Furathiocarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Haloxyfop	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Haloxyfop-methyl (isomers)	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Hexaconazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Hexazinone	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Hexythiazox	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Imazalil	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Imazamethabenz-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Imazamox	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Imazethapyr	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----



Sub-Matrix: WATER				Client sample ID	54041/19	----	----		
				Laboratory sample ID	PR1932781-001	----	----		
				Client sampling date / time	[03-Apr-2019]	----	----		
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
<b>Pesticides - Continued</b>									
Imidacloprid	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Indoxacarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
loxynil	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Iprodione	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Iprovalicarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Isoproturon	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Isoproturon-desmethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Isoproturon-monodesmethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Isopyrazam	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Kresoxim-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Lenacil	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Linuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Malaoxon	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Malathion	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Mandipropamid	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
MCPA	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
MCPB	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
MCPP (isomers)	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Mecarbam	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Mefenpyr-diethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Mesosulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Mesotrione	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metalaxyl (isomers)	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metamitron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metazachlor	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metconazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Methabenzthiazuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Methamidophos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Methidathion	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Methiocarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Methomyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Methoxyfenozide	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metobromuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metolachlor (isomers)	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metoxuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metribuzin	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metribuzin-desamino	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Metsulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Molinate	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Monocrotophos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Monolinuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Monuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Napropamide	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Naptalam	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Neburon	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Nicosulfuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Nuarimol	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Omethoate	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Oxadixyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Oxamyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Paclobutrazol	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Paraoxon-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Paraoxon-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Parathion-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Penconazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Pencycuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Pendimethalin	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Phorate	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----



Sub-Matrix: WATER				Client sample ID	54041/19	----	----		
				Laboratory sample ID	PR1932781-001	----	----		
				Client sampling date / time	[03-Apr-2019]	----	----		
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
<b>Pesticides - Continued</b>									
Phosalone	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Phosmet	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Phosphamidon	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Picloram	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Picoxystrobin	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Pirimicarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Pirimiphos-ethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Pirimiphos-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Pretilachlor	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Primisulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Prochloraz	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Prodiamine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Profenofos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Promecarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Prometon	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Prometryn	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propachlor	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propamocarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propanil	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propaquizafop	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propazine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propham	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propiconazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propoxur	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propoxycarbazone-sodium	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Propyzamide	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Prosulfocarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Prothioconazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Pyribenzoxim	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Pyrimethanil	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Pyriproxifen	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Quinclorac	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Quinmerac	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Quinoxifen	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Quizalofop	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Rimsulfuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Sebuthylazine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Secbumeton	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Sethoxydim	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Simazine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Simazine-2-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Simetryn	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Spiroxamine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Sulfosulfuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Tebuconazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Tebuthiuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Teflubenzuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Terbuthylazine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Terbuthylazine-desethyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Terbuthylazine-desethyl-2-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Terbuthylazine-hydroxy	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Terbutryn	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Thiabendazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Thiamethoxam	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Thifensulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Thiobencarb	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Thiophanate-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----



Sub-Matrix: WATER				Client sample ID		Laboratory sample ID		Client sampling date / time	
				54041/19		PR1932781-001		[03-Apr-2019]	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
<b>Pesticides - Continued</b>									
Triadimefon	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Triadimenol	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Tri-allate	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Triasulfuron	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Triazophos	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Tribenuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Triclopyr	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Triclosan	W-PESLMS04	0.050	µg/L	<0.050	---	----	----	----	----
Tricyclazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Trifloxysulfuron-sodium	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Triflusulfuron-methyl	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Triforine	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----
Triticonazole	W-PESLMS02	0.050	µg/L	<0.050	---	----	----	----	----

If no sampling time is provided, the sampling time will default 00:00 on the date of sampling. If no sampling date is provided, delivery date in brackets without a time component will be displayed instead. Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty

### The end of result part of the certificate of analysis

#### Brief Method Summaries

Analytical Methods	Method Descriptions
<i>Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00</i>	
W-OCPECD01	CZ_SOP_D06_03_169 (CSN EN ISO 6468, US EPA 8081, DIN 38407-3, samples prepared as per CZ_SOP_D06_03_P01 chap. 9.1, CZ_SOP_D06_03_P02 chap. 9.1) Determination of organochlorine pesticides and other halogen compounds (2) by gas chromatography method with ECD detection and calculation of organochlorine pesticides and other halogen compounds sums from measured values.
W-PESGMS01	CZ_SOP_D06_03_184 (US EPA 8141B, US EPA 3535A, CSN EN 12918) Determination of pesticides by gas chromatography method with MS or MS/MS detection and calculation of pesticides sums from measured values
W-PESLMS02	CZ_SOP_D06_03_183.A (US EPA 535, US EPA 1694) Determination of pesticides, pesticide metabolites, drug residues and other pollutants by liquid chromatography method with MS/MS detection and calculation of pesticides, pesticide metabolites, drug residues and other pollutants sums from measured values. The method has been modified within a flexible scope of accreditation, see Certificate of Accreditation No. 333/2018 dated 27th June 2018. It refers to parameter: Simazine-desethyl.
W-PESLMS04	CZ_SOP_D06_03_182.A (DIN 38407-35) Determination of acidic herbicides, drug residues and other pollutants by liquid chromatography method with MS/MS detection and calculation of acidic herbicides, drug residues and other pollutants sums from measured values.

A `` symbol preceding any method indicates laboratory or subcontractor non-accredited test. In the case when a procedure belonging to an accredited method was used for non-accredited matrix, would apply that the reported results are non-accredited. Please refer to General Comment section on front page for information. If the report contains subcontracted analysis, those are made in a subcontracted laboratory outside the laboratories ALS Czech Republic, s.r.o.

The calculation methods of summation parameters are available on request in the client service.